

Self-Driving Car - A Computer will Park for You

Yair Wiseman¹

¹ Computer Science Department, Bar-Ilan University, Ramat-Gan 52900, Israel
wiseman@cs.biu.ac.il

Abstract. When a computer drives a vehicle, the vehicle can be taken by the computer to a remote location for parking. This feature will change the land uses in the metropolitan areas. We analyze the advantages of this change and as a model we analyze the specific case of the state of Israel.

Keywords: Autonomous Vehicle, Self-Parking, Remote Parking.

1 Introduction

Autonomous vehicles will improve our quality of life and road safety. The number of traffic accidents will be significantly reduced. Unfortunately, there will still be car accidents like when a child runs after a ball and the autonomous vehicle does not manage to stop on time; however, even such cases the autonomous vehicle knows how to minimize the damage [1,2,3].

In this paper we will focus on a well-known quality of life nuisance - hectic parking systems faced by many people living in urban areas [4]. Autonomous vehicles will put an end to this nuisance.

Autonomous vehicles will change the land uses in the metropolitan areas anywhere [5] and unexceptionally in Israel. Many large parking lots can be shifted into alternative uses. In [6] the author claims that almost a third of the central area in major cities in the US is dedicated to parking.

Autonomous vehicles can improve on the parking issues because of some reasons:

- Unlike conventional vehicles, autonomous vehicle can drop passengers off at almost any location at any city and then instead of cruising for parking [7], the autonomous vehicle can park itself in a remote location in a rural fringe of the city where inexpensive land is more readily available.
- An autonomous vehicle can park in a tighter parking slot without having a collision with the nearby vehicle [8,9]. In [10] the author calculates that an average parking can be reduced by 15% because of the compact parking slots.
- The software of the vehicle will park it [11], so the incidences of egotistic drivers who park their vehicle occupying two parking slots will not be a part of our life anymore.

If the autonomous vehicle is shared between several users or not privately owned, the shared autonomous vehicle can drop off one passenger and pick up another passenger without a need for parking; however, even such shared vehicles should park

somewhere in slack hours when no one wants to go by the shared vehicles, so such a sharing will alleviate the parking requirements, but unfortunately will not completely eliminate them.

2 Remote Parking Lots for Autonomous Vehicles

Clearly, private autonomous vehicles will use other places for parking. The owners of these vehicles can send their vehicles to park in any nearby destination that can offer more space for parking. Afterward, when they will need the autonomous vehicle, they will use a communication gadget [12,13] to call the computer controlling the autonomous vehicle and the computer will drive the autonomous vehicle back in order to pick up the passenger.

The parking lots of autonomous vehicles are beneficial from several aspects. They can be situated in a rural fringe of the cities when the real estates are much cheaper. As a result, there will be no need for underground parking lots or parking towers. Furthermore, when an autonomous vehicle parks, it will occupy a smaller space, because it can park very close to its peer autonomous vehicle; therefore, more autonomous vehicles than traditional vehicles can park in an identical parking lot.

As was noted in [14], the desirable distance for remote parking is less than 10 miles; otherwise, the user of the autonomous vehicle will have to wait too much time until the vehicle comes. In this paper we explore the locations in Israel for these remote parking lots. We specify the locations in Israel where parking in the city can be a hectic task and we suggest the closest site within the range of 10 miles that can be suggested as a parking lot for autonomous vehicles.

The first place that we explore in Israel is its capital – Jerusalem. Jerusalem is a very historical city. King David made it the capital of Israel about 3,000 years ago and there are abundant of historical sites in the city. The areas of the historical sites were built a very long ago and the constructors did not take in account a need of areas for vehicle parking lots; therefore in some of them there is no parking at all and in others the parking slots are insufficient.

Some other parts of Jerusalem also have parking difficulties similar to other capital cities in the world. In [15] the author claims that it takes in average 5.6 minutes to find an empty parking slot in Jerusalem. Obviously, in the old city finding an available parking slot takes more time than this average, but in fact the many tourists in Jerusalem are usually interested in the historical sites of the old city, so a solution for the parking problem is indispensable.

In the east of the Jerusalem, there is an area called Mevasheret Adumim aka E1. The size of the area is about 4.6 square miles. The area is pretty hilly; however there are many well-known solutions how to overcome this obstacle as is explained in [16].

The area of Mevasheret Adumim is almost empty. Only a police station is currently located there which can be very helpful to avoid vehicle thefts [17]. Jerusalem is just on the edge of this area. The old city of Jerusalem is about 4 miles far; therefore, this area can be an ideal parking lot for the autonomous vehicles of Jerusalem.

The old city of Jerusalem is the main tourism location of Jerusalem. Unfortunately, the old city of Jerusalem is also the location that is most difficult to find an available

parking in Jerusalem. Sending the autonomous vehicles to park in Mevaseret Adumim can be an ideal arrangement for the parking shortage in the old city of Jerusalem.

The second place that we have explored is Tel-Aviv – the business center of Israel. 34% of Tel-Aviv residents received more than one parking ticket during 2014 [18]. In addition, the vehicle of 20% of Tel-Aviv residents has been towed at least one time and Tel-Aviv municipality has been paid 208 million New Israeli Shekels from this goings-on. 13% of Tel-Aviv residents spend more than 30 minutes when they look for a parking; whereas other 39% spend between 15 minutes to 30 minutes when they look for a parking. 82% of Tel-Aviv residents are unsatisfied with the current situation of the parking in Tel-Aviv.

Tel-Aviv is surrounded by several other cities and the bloc of Tel-Aviv extends from the Mediterranean Sea in the west to Rosh-Haayin in the east. Building a floating parking lot on the Mediterranean Sea is very costly [19], so the east side is the better arrangement for the autonomous vehicle parking lot.

There is an empty area in the east side of Rosh-Haayin called Um El Hamam. A part of this area was inhabited by a small Jewish community from the 5th century to the 7th century and was demolished by the Muslims who conquered Israel in the 7th century [20]. Currently there are several scattered ruined buildings, ruined agricultural facilities and tumbledown cisterns, but most of the area is completely abandoned.

Um El Hamam can be an ideal parking lot for the autonomous vehicles of Tel-Aviv bloc. It is far only about 10 miles from Tel-Aviv and about 6 miles from Ben-Gurion international airport aka TLV – the primary international airport of Israel.

As any other international airport, Ban-Gurion airport also has several large adjacent parking lots. A large parking lot in Um El Hamam can free the expensive lands near the airport for other better uses like shopping mall, hotels and other services for tourists. Housing in the surroundings of Ben-Gurion is not advisable because of the noise of the landing and departing airplanes exceeds the common thresholds [21,22] and some researches have pointed out that extremely loud noises may harm the physical and the mental health of the hearer [23].

3 Financial Benefits

According to [24], constructing of one parking slot in a parking tower can be very costly and can require more than \$200 of revenue per month so as to recover the investment and the maintenance. Charging high fees for parking will leave the parking slots empty, whereas charging lower fees will not recover the investment and the maintenance. Just in few very busy locations where all the parking slots are almost always occupied, the parking lot can be profitable. In most cases, the owner of the parking lot finds other solutions how to recover the investment and the maintenance.

Hotels, retail stores and other businesses often suggest free parking or a reduced fee for parking; however, since they need to recover the investment and the maintenance, they increase their products price, so in fact the cost of the parking is paid by the consumer although under a different title [25].

In the public sector we can also sometimes find free or subsidized parking; however, here again the costs should be paid by someone, so actually the taxpayers disburse this subsidized parking.

Autonomous vehicles can be very beneficial in order to eliminate these hidden charges. Someone who comes to a hotel does not have to park the autonomous vehicle within walking distance, but rather he can send the autonomous vehicle to park itself in a distant location. The unnecessariness of the parking will hopefully encourage the hotel owner to reduce the prices.

Likewise, the tax money that goes to subsidize the parking fees can go to other better purposes [26]. As a matter of fact, the current situation that the entire population pays the subsidy of the parking in the public sector regardless if they go to this office or they have a car is unfair.

It should be noted however that unlike the current parking lots that are merely a paved asphalt concourse, the new parking lots will be wiser and will be able to provide advanced services like automatic puncture and other outside defects detection [27,28,29,30,31] and automatic coordinator and scheduler that decide where each vehicle is going to park [32,33].

The current parking lots can be reused for other purposes. The asphalt concourses are relatively easier for change; contrariwise, underground parking lots and parking towers are more complicated to change, but if the land is in the urban core, the cost of tearing down the parking constructions will be worthwhile. According to [34] destroying underground parking lot is more difficult task than destroying a parking tower even if the tower is relatively high.

Cancelling the on-street parking can create more lanes for the traffic. This will join the narrower lanes that the autonomous vehicle requires, so as a result more cars will be able to go through the same roads.

However, it should be noted that the traffic volume that goes on the roads used by autonomous vehicles will probably increase [35]. Empty vehicles go to a parking lot or from a parking lot to their users will move on the roads. People who were not able to drive because of blindness or other disabilities will now be able to "drive" the autonomous vehicles as well. Therefore, there will be more traffic on the roads, however, traffic flow will be better because differences between driving behavior of drivers will be much smaller and in addition the autonomous vehicles will be able to be closer to their peer vehicles without endanger themselves in an accident since their response time is smaller than human driver.

4 Conclusions

Parking for autonomous vehicles can be far from where a passenger needs to arrive; so, there is no need, for example, for a huge parking lot near the airport as is very common nowadays. Also, the parking lots will be constructed in a more compact manner because the vehicles park strictly in the right position with almost no unused space. In addition, the parking slots will be signified according to the vehicle type. As a result the parking slots will not be at the size of the largest potential vehicle [36].

In this paper we suggested locations for these remote parking lot locations in Israel and explained why these remote parking for autonomous vehicles are imperative for relieving the notoriously hectic parking system.

References

1. Y. Wiseman and I. Grinberg, "When an Inescapable Accident of Autonomous Vehicles is Looming", *International Journal of Control and Automation*, Vol. 9(6), pp. 297-308, 2016.
2. Y. Wiseman and I. Grinberg, "Autonomous Vehicles Should Not Collide Carelessly", *Advanced Science and Technology Letters*, Vol. 133, pp. 223-228, 2016.
3. Y. Wiseman and I. Grinberg, "Circumspectly Crash of Autonomous Vehicles", *Proceedings of IEEE International Conference on Electro Information Technology (EIT 2016)*, Grand Forks, North Dakota, USA, pp. 382-386, 2016.
4. Y. Tayade1, M. D. Patil, "Advance Prediction of Parking Space Availability and Other Facilities for Car Parks in Smart Cities", *International Research Journal of Engineering and Technology*, Vol. 3, No. 5, pp. 2225- 2228, 2016.
5. J. A. Brett, "Thinking Local about Self-Driving Cars: A Local Framework for Autonomous Vehicle Development in the United States", MSc Thesis, University of Washington, 2016.
6. D. C. Shoup, "The high cost of free parking", Chicago: Planners Press, 2005.
7. E. Inci, "A review of the economics of parking", *Economics of Transportation*, Vol. 4, no. 1, pp. 50-63, 2015.
8. I. Grinberg and Y. Wiseman, "Scalable Parallel Simulator for Vehicular Collision Detection", *International Journal of Vehicle Systems Modelling and Testing*, Inderscience Publication, Vol. 8, No. 2, pp. 119-144, 2013.
9. I. Grinberg and Y. Wiseman, "Scalable Parallel Collision Detection Simulation", In *Proceedings of Signal and Image Processing*, Honolulu, Hawaii, pp. 380-385, 2007.
10. M. Bertonecello and D. Wee, "Ten ways autonomous driving could redefine the automotive world", McKinsey & Company, June 2015.
11. D. M. Filatov and E. V. Serykh, "Intelligence autonomous parking control system of four-wheeled vehicle", In *IEEE International Conference on Soft Computing and Measurements (SCM)*, pp. 154-156, 2016.
12. Y. Wiseman, K. Schwan and P. Widener, "Efficient End to End Data Exchange Using Configurable Compression", *Proceedings of the 24th IEEE Conference on Distributed Computing Systems (ICDCS 2004)*, Tokyo, Japan, pp. 228-235, 2004.
13. P. Weisberg, Y. Wiseman and J. Isaacson, "Enhancing Transportation System Networks Reliability by Securer Operating System", *Open Journal of Information Security and Applications*, Vol. 1(1), pp. 24-33, 2014.
14. J. B. Acker, R. N. Cancro and D. J. Pedley, "Location based parking management system", U.S. Patent Application 13/723,056, filed December 20, 2012.
15. D. Shmil, "5 Applications That Will Help You to Find an Available Parking", *The Marker*, <http://www.themarket.com/dynamo/1.2500427>, December 2014.
16. Hewes, Laurence Ilsley, and Clarkson Hill Oglesby. *Highway engineering*. Wiley, 1954.
17. Y. Wiseman and Y. Giat, "Multi-modal passenger security in Israel", *Multimodal Security in Passenger and Freight Transportation: Frameworks and Policy Applications*, Edward Elgar Publishing Limited, Chapter 16, pp. 246-260, 2016.
18. I. Amikam, "How Much Time is Spent in Tel Aviv for Finding Parking?", *Mako News*, http://www.mako.co.il/news-israel/local-q4_2014/Article-6ad6b9f6de75a41004.htm, December 2014.

19. E. Watanabe, C. M. Wang, T. Utsunomiya and T. Moan, "Very large floating structures: applications, analysis and design", CORE Report 2, pp. 104-109, 2004.
20. M. Kahavi and Y. Beit-Arie, "Archaeological Survey of Israel – Rosh HaAyin", Israel Antiquities Authority, 1991.
21. Y. Wiseman, "Noise Abatement Solutions for Ben-Gurion International Airport", International Journal of U- & E-Service, Science & Technology, Vol. 7(6), pp. 265-272, 2014.
22. Y. Wiseman, "Noise Abatement at Ben-Gurion International Airport", Advanced Science and Technology Letters, Vol. 67, pp. 84-87, 2014.
23. Rashid, M., Ghulam Jillani, K., Alam, S. and S. Abdul Jalal, "Effect of 90 decibel noise of 4000 hertz on blood pressure in young adults." Journal of Ayub Medical College, Abbottabad: JAMC, Vol. 16, no. 2, pp. 30-33, 2003.
24. A. P. Chrest, M. Smith, S. Bhuyan, M. Iqbal, and D. R. Monahan. "Parking structures: planning, design, construction, maintenance and repair", Springer Science & Business Media, 2012.
25. K. Hasker and E. Inci, "Free parking for all in shopping malls", International Economic Review Vol. 55, no. 4, pp. 1281-1304, 2014.
26. E. Calthrop, S. Proost and K. Van Dender, "Parking Policies and Road Pricing", Urban studies Vol. 37, No. 1, 63-76, 2000.
27. Y. Wiseman, "Take a Picture of Your Tire!", Proceedings of IEEE Conference on Vehicular Electronics and Safety, Qingdao, ShanDong, China, pp. 151-156, 2010.
28. Y. Wiseman, "The Effectiveness of JPEG Images Produced By a Standard Digital Camera to Detect Damaged Tyres", World Review of Intermodal Transportation Research, Vol. 4(1), pp. 23-36, 2013.
29. Y. Wiseman, "Camera That Takes Pictures of Aircraft and Ground Vehicle Tires Can Save Lives", Journal of Electronic Imaging, Vol. 22(4), paper no. 041104, 2013.
30. Y. Wiseman, "Device for Detection of Fuselage Defective Parts", Information Journal, Tokyo, Japan, Vol. 17(9(A)), pp. 4189-4194, 2014.
31. Y. Wiseman, "Fuselage Damage Locator System", Advanced Science and Technology Letters, Vol. 37, pp. 1-4, 2013.
32. R. Ben Yehuda and Y. Wiseman, "The Offline Scheduler for Embedded Vehicular Systems", International Journal of Vehicle Information and Communication Systems, Vol. 3(1), pp. 44-57, 2013.
33. R. Ben Yehuda and Y. Wiseman, "The Offline Scheduler for Embedded Transportation Systems", Proceedings of IEEE Conference on Industrial Electronics (IEEE ICIT-2011), Auburn, Alabama, pp. 449-454, 2011.
34. F. Caicedo, F. Robuste and Andres Lopez-Pita, "Parking management and modeling of car park patron behavior in underground facilities", Transportation Research Record: Journal of the Transportation Research Board, Vol. 1956, pp. 60-67, 2006.
35. B. Friedrich, "The Effect of Autonomous Vehicles on Traffic" In Autonomous Driving, Chapter 16, pp. 317-334, Springer Berlin Heidelberg, 2016.
36. B. Li and S. Zhijiang, "A unified motion planning method for parking an autonomous vehicle in the presence of irregularly placed obstacles", Knowledge-Based Systems, Vol. 86, pp. 11-20, 2015.